







Folding doors can be found as part of any building, as dividers between indoor and outdoor spaces. The elegant and precision Panorama Nordic folding doors meet the most challenging architectural requirements. It's the best solution to create seamless transition between indoor and outdoor spaces. These doors increase the amount of light and space in rooms and really allow a home or any building to reduse distance between You and nature.

Panorama Nordic folding doors are designed and manufactured according to individual client requirements. By choosing desired panel numbers and opening combination, door color, handles, glass units, various dividings You can add to Your home versatility and style.

## Features:

Specifications	Folding door
Max opening width (mm)	8000
Max panel weight (kg)	80
Max opening height (mm)	2500
Max panel width (mm)	1000
Min panel thickness (mm)	66
Max number of panels	8L+ 8R
Loading	top



- □ Folding doors are produced from laminated finger joint pine, which
  gives better shape and stability.
- □ Timber can be painted in any RAL or NCS colour to satisfy costumers' vagary. We give you an option to choose different colors inside and outside.
- Extra value and style can be created by choosing glass unit from the wide range of options (laminated, toughened, bioclean, thermofloat, etc.).
- □ Glass thickness: from 26 up to 36 mm.
- Available with aluminium cladding on the outside.
- ☐ All hinges and handles are made from stainless steel.
- The door is supplied with internal cylinder lock as standard.
- ☐ Also external lockable handle is available.
- □ Horizontal ventilation is available.
- The door is delivered completely ready for installation.
- Doors ensure silent shutting and insulation from noise.
- Will fold outside of the room, to the left, the right, or split to fold on both sides.
- 回 Effortless operation

## Advantages:





- PANORAMA NORDIC those two worlds closer. When wide opened, they create a seamless lane from interior to the exterior of a home. The entire space will be open unlike with sliding doors that open only half of space.
- □ Any number of panels can be connected in long trains that allow over 90% of the profile to be opened.
- Either an even or uneven number of panels can be chosen what allows
  doors to fit any size of doorways.
- □ Implemented twinpoint lock gives not only design beauty for the folding doors but it provides high level of security as well.
- □ Complete combined threshold (merbau with aluminium).
- □ Folding doors are durable.



## Wooden folding door horizontal and vertical cuts







## Opening combinations:



		On oning combination
	Opening type	Opening combination
3 panels	2L1R	PANORAMA NORDIC
	1L2R	
nels	1L3R	
4 panels	3L1R	
	1L4R	
nels	4L1R	
5 panels	2L3R	
	3L2R	
6 panels	1L5R	
	5L1R	
	3L3R	May be chosen side of hadle

		-
	1L6R	
	6L1R	
7 panels	2L5R	
7 pa	5L2R	
	3L4R	
	4L3R	
	1L7R	
SI	7L1R	
8 panels	3L5R	May be chosen side of handle
	5L3R	May be chosen side of handle



Between You and nature...

Taikos g. 2B, Voškonių kaimas, Domeikavos sen.

Kauno raj. LT-54342

Tel.: +370 670 57503

Fax.: +370 37 311145

E-mail: info@panoramanordic.com

www.panoramanordic.com

